Incredible Inc.

SAFETY DATA SHEET

INCREDIBLE STAIN REMOVER

Revision Date

12/18/2015

SECTION - 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME INCREDIBLE STAIN REMOVER

ITEM SR

PRODUCT USE Stain remover

Office (800) 468-7592

COMPANY NAME Incredible Inc.

Fax /

(713) 781-0781

P.O. Box 19446

Houston, TX. 77224

SECTION - 2 HAZARDS INFORMATION

Health Hazards No known significant effects or critical hazards

Avoid eye or skin contact, May be harmful if swallowed, Use personal protective equipment as required, Wash thoroughly after handling, Avoid release into the environment

SECTION = 3 COMPOSITION INFORMATION

(Exact percentage of the listed chemicals of composition has been withheld as a trade secret)

CHEMICAL NAME

COMMON NAME AND SYNONYMS.

CAS#

IMPURITIES

PERCENT

None Listed

Contains no ingredients classifiable by GHS criteria

SECTION - 4 FIRST AID MEASURES

EYE CONTACT Flush eyes with cold water while lifting upper and lower eyelids, Remove contact lenses if present and easy to do

without injury to the eye and continue rinsing, If irritation persists seek medical aid

SKIN CONTACT Wash with water, Remove any contaminated clothing and wash before reuse, If irritation occurs or persists seek

medical aid

INHALATION Not Applicable

INGESTION DO NOT INDUCE VOMITING. If person is fully conscious, rinse mouth out and give one to two glasses of water to

dilute and obtain immediate medical attention

Aspiration Hazard Not applicable

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes May cause eye irritation, by direct product eye contact

Skin May cause skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed, Minimal acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes May cause eye irritation, discomfort, redness, tearing, or pain, by direct product eye contact

Skin May cause skin irritation, redness, drying or cracking

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Minimal acute toxicity if swallowed, Symptoms may include, nausea, diarrhea, vomiting,

abdominal pain

SECTION - 5 FIRE FIGHTING MEASURES

Extinguishing Media Not flammable: Use extinguishing media for surrounding fire

Hazardous Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

Reactive With Reactive with, strong oxidizing agents

Explosion Hazards Not applicable
Static Discharge Not applicable
Mechanical Impact Not applicable

Protective Equipment Use MSHA/NIOSH approved self-contained breathing apparatus and full protective gear

SECTION – 6 ACCIDENTAL RELEASE MEASURES

Emergency Procedures Warn personnel of spill

Personal Precautions Avoid slipping on spilled product

Protective Equipment Safety Glasses, Gloves

Containment Use rags or towels to prevent spill from spreading

Clean Up Procedures Use wet vacuum or mop and wringer to pick up spilled material then mop area with clean water

Disposal Dispose of material in accordance with all State and Federal Guidelines and Regulations

SECTION - 7 HANDLING AND STORAGE

Handling Use appropriate safety equipment, Avoid eye and skin contact, May be harmful if swallowed, Wash thoroughly

after handling, Avoid release to the environment, Triple rinse container before discarding

Storage KEEP OUT OF REACH OF CHILDREN, Store away from incompatible materials, Stored above 4.4°C (40°F)

and below 49°C (120°F)

Incompatible Materials Incompatible with, strong oxidizing agents

SECTION – 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

CHEMICAL NAME

ACGIH (TWA 8)

ACGIH (STEL)

OSHA PEL (TWA 8)

OSHA (CEIL)

Exposure


None Listed

PERSONAL PROTECTIVE EQUIPMENT



Chemical Safety Glasses, Goggles or Face Shield





HMIS HAZARD RATINGS

Health
Flammability
Reactivity
Personal Protection

 1	
0	
0	
 Α	

SECTION - 9 PH	YSICAL AND CHEMICAL PROPERTIES		
Flash Point	> 93.3°C (200°F) - TAG Closed Cup	Specific Gravity / Density	1.00
Flammable Limits	ND	pH (± 0.3)	7.0 - 7.5
Auto-Ignition Temp.	ND	Viscosity	ND
Physical State	Liquid	Freeze Point	0°C (32°F)
Appearance	Clear	Boiling Point	100°C (212°F)
Odor	Pine	Vapor Density (air=1)	ND
Odor Threshold	ND	Vapor Pressure (mm Hg)	ND
Solubility	100%	Evaporation Rate (nBuAc=1)	ND
Volatiles	´< 99%	Partition Coefficient	ND
VOC	< 0.001%	Molecular Weight (g/mol)	23.12 g/mol
LVP-VOC	0.00%	Decomposition Temperature	ND
SECTION - 10 ST	ARILITY AND DEACTIVITY		

SECTION - 10 STABILITY AND REACTIVITY

Reactivity (Specific Test Data) None available

Chemical Stability Stable when stored above 4.4°C (40°F) and below 49°C (120°F)

Hazardous Polymerization Will not occur

Conditions To Avoid Incompatible materials

Incompatible Materials Incompatible with, strong oxidizing agents

Thermal Decomposition Burning or thermal decomposition can produce, carbon monoxide, carbon dioxide, and other toxic fumes

SECTION – 11 TOXICOLOGICAL INFORMATION

ROUTES OF EXPOSURE

Eyes (Yes), Skin (Yes), Ingestion (Yes)

ACUTE SYMPTOMS OF SINGLE OVEREXPOSURE

Eyes May cause eye irritation, by direct product eye contact

Skin May cause skin irritation

Inhalation Not applicable

Ingestion May be harmful if swallowed, Minimal acute toxicity if swallowed

CHRONIC SYMPTOMS OF PROLONGED OR REPEATED OVEREXPOSURE

Eyes May cause eye irritation, discomfort, redness, tearing, or pain, by direct product eye contact

Skin May cause skin irritation, redness, drying or cracking

Inhalation Spray mist may cause mild irritation

Ingestion May be harmful if swallowed, Minimal acute toxicity if swallowed, Symptoms may include, nausea, diarrhea, vomiting,

abdominal pain

Acute Tox Calculated Oral: > 5,000 mg/kg Dermal: > 5,000 mg/kg Inhaled: > 50.0 r

Acute Tox Category Not applicable (Oral >5000 mg/kg), Not applicable (Dermal > 5000 mg/kg), Not applicable (Inhaled >50 mg/L) Vapors

Additional Info

Target Organs Eyes (Lens or cornea), Skin

Medical Conditions Preexisting, eye, skin, disorders may be aggravated by exposure to this product

Notes to Physician In case of ingestion, gastric lavage with activated charcoal can be used promptly to prevent absorption

CARCINOGENIC - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME NTP ACGIH IARC GHS Category

None Listed NA NA NA NA

MUTAGENIC AND REPRODUCTIVE EFFECTS - This product contains concentrations above 0.1% of the following:

CHEMICAL NAME Germ Cell Mutagenicity Toxic to Reproduction

None Listed NA NA

COMPONENTS ACUTE TOXICITY

 CHEMICAL NAME
 Type
 Form
 Subject
 Result Value
 Exposure Time
 GHS Category

None Listed

SECTION -- 12 ECOLOGICAL INFORMATION

CHEMICAL NAME Type Subject Subject Latin Result Value Exposure Time GHS Category

None Listed

Presistence And Degradability This product is inherently biodegradable according to the OECD definition

Bioaccumulative Potential There is no evidence to suggest bioaccumulation will occur

Mobility In Soil This material is a mobile liquid

Other Adverse Effects No data available

SECTION - 13 DISPOSAL CONSIDERATIONS

DO NOT DUMP INTO ANY STORM SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER

Dispose of any waste in accordance with all State and Federal Guidelines and Regulations

ENVIRONMENTAL FATE

Under RCRA rules, it is the responsibility of the user of the product to determine, at the time of disposal, whether the material is a hazardous waste.

CONTAINER DISPOSAL - Triple rinse container then offer for recycling. If not available, puncture and dispose in a sanitary landfill.

SECTION - 14 TRANSPORT INFORMATION

DOT CLASSIFICATION

UN Number Proper Shipping Name n.o.s. (Chemicals) or "Limits"

Not Regulated Non Regulated Material

Hazard Class Packing Group Label Codes Reportable Quantity (lbs) Response Marine Pollutant Hazard Label Secondary

None None None 128 No

Additional Info:

INCREDIBLE STAIN REMOVER Page 4 of 4 Revision Date 12/18/2015

rage - or -									• • • •			_,
SECTION - 15 REGULATOR	Y INFORMATION											
TSCA					/							
CHEMICAL NAME	Sec 8(b) Inventor	y S	Sec 8(d) Hea	lth An	d Safety	Se	c 4(a) Chei	mical Test R	Rules	Sec 12(b) Export	Notificatio
None Listed												
REPORTABLE QUANTITIES	Extremel	y Hazardou	ıs	F	Reportable Qu	antity	Emission	Reporting		<u>:</u>		
CHEMICAL NAME	EPCRA TPQ Sec 30	2 EPCRA	A RQ Sec 30	4 C	ERCLA RQ S	Sec 103	TRIS	Sec 313	RCF	RA Code	RMP	TQ Sec 112
None Listed												
SARA	Section 3	11				Section	on 311 / 3	12 Hazaro	is			
CHEMICAL NAME	Hazardous Ch	emical	Ac	ute	CI	hronic	Fla	ammable	F	ressure		Reactive
None Listed												
RIGHT TO KNOW					STATE							,
CHEMICAL NAME	CA CT	FL	ΙL	LA	NJ	NY	PA	MI	MN	MA	RI	Wi
None Listed												
CALIFORNIA		WARNI	NG! This	produ	uct contain	s chem	icals kno	wn to the	state c	of Californ	ia to c	ause:
CHEMICAL NAME	CAS#	Birth D	efects		Reproduct	ive Harı	m	Carcino	gen	D	evelop	mental
None Listed												
CLEAN AIR WATER ACTS		Clean	Air Acts					C	lean W	ater Acts		
CHEMICAL NAME	CAS#	HAP	C)zone	Class 1	Ozon	e Class 2	ž Ņ	IS	PP		TP
None Listed												
INTERNATIONAL REGULATIONS	- The components of	this prod	uct are list	ed on	the chemic	al inven	itories of t	the following	ng coun	tries:		
CHEMICAL NAME	Australia	Ca	anada	Eu	rope (EINE	CS)	Japa	n	Ko	rea		UK
None Listed												
WHMIS Classification						***************************************	·····	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
CHEMICAL NAME	DSL	Class	Descrip	tion								
None Listed		•										
SECTION AC OTHER INCOR	MATION											

SECTION – 16 OTHER INFORMATION

<u>SDS</u>	LEGEND DESCRIPTION		
ACGIH	American Conference of Governmental Industrial Hygienists	LC50	A concentration that is lethal to 50% of a given species in a given time
CAS	Chemical Abstracts Service Registry	LD50	Dose that is lethal to 50% of a given species by a given route of exposure
CEIL	Ceiling Limit (15 minutes)	LEL	Lower Explosive Limit
CERCL	Comprehensive Environmental Response, Compensation, and Liability Act	LD	Liver Damage
CI	Cochlear Impairment	NA	Not Applicable
CNS	Central Nervous System	ND	Not Determined
EC50	Concentration of a chemical that gives half-maximal response	NFPA	National Fire Protection Association
EPA	Environmental Protection Agency	NIOSH	National Institute for Occupational Safety and Health
Eye	(EI = Irritation) (ED = Damage) (EV = Visual Impairment)	NE	Not Established
FBG	Full Bunker Gear	NTP	National Toxicology Program
GHS	Globally Harmonized System	OSHA	Occupational Safety and Health Administration
HAP	California Hazardous air pollutant Clean Air Act	PEL	Permissible Exposure Limit (OSHA)
HMIS-A	Safety Glasses	PNS	Peripheral Nervous System
HMIS-B	Safety glasses, gloves	PP	California Priority Pollutant under the Clean Water Act
HMIS-C	Safety glasses, gloves, chemical apron	REL	Recommended exposure limit (NIOSH)
HMIS-D	Face shield, gloves, chemical apron	RT	Upper Respiratory Tract
HMIS-E	Safety glasses, gloves, dust respirator	Skin	(SI = Irritation) (SD = Damage) (SA = Absorption) (SS = Sensitizer)
HMIS-F	Safety glasses, gloves, chemical apron, dust respirator	SARA	Superfund Amendments and Reauthorization Act
HMIS-G	Safety glasses, gloves, vapor respirator	STEL	Short Term Exposure Limit (15 minutes)
HMIS-H	Splash goggles, gloves, chemical apron, vapor respirator	TC Lo	Lowest concentration that is toxic to a given species in a given time
HMIS-I	Safety glasses, gloves, dust and vapor respirator	TD Lo	Lowest dose that is toxic to a given species
HMIS-J	Splash goggles, gloves, chemical apron, dust and vapor respirator	TLV	Threshold Limit Value (ACGIH)
HMIS-K	Air line hood or mask, gloves, full chemical suit, boots	TP	California Toxic Pollutant under the Clean Water Act
HMIS-X	Ask Supervisor	TSCA	Toxic Substances Control Act
HS	California Hazardous Substance under the Clean Water Act	TWA	Time Weighted Average (8 hours)
KD	Kidney Damage (nephropathy)	UEL	Upper Explosive Limit

and nCites LLC have compiled the information herein from sources believed to be reliable and up-to-date, and is accurate to the best of our knowledge. However, we cannot give any guarantees regarding information from other sources or the completeness and expressly do not make warranties, nor assume any liability for its use. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever for any and all injuries, losses, or damages to persons or property arising from the use of this product or information. **Print Date** 12/18/2015