# SAFETY DATA SHEET

# SECTION 1) CHEMICAL PRODUCT AND MANUFACTURER'S IDENTIFICATION

Product ID: CUSTOM CLS WILL SHINE
Product Name: CUSTOM CLS WILL SHINE

 Revision Date:
 Jun 23, 2020
 Date Printed:
 Nov 10, 2023

 Version:
 2.0
 Supersedes Date:
 Nov 25, 2019

Distributor's Name: CUSTOM CLS, LLC

Address: 4009 Market St. Unit N • Aston, PA 19014

Emergency Phone: 1-800-535-5053 Information Phone Number: (484) 483-7530

Product/Recommended Uses: All surface duster & polish

# **SECTION 2) HAZARDS IDENTIFICATION**

### Classification

Aerosols - Category 1

Gases Under Pressure - Liquefied Gas

Carcinogenicity - Category 1B

Germ Cell Mutagenicity - Category 1B

Skin Sensitizer - Category 1

### **Pictograms**









# Signal Word

Danger

# **Hazardous Statements - Physical**

H222 - Extremely flammable aerosol

H280 - Contains gas under pressure; may explode if heated

# **Hazardous Statements - Health**

H350 - May cause cancer.

H340 - May cause genetic defects.

H317 - May cause an allergic skin reaction

### **Precautionary Statements - General**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

### **Precautionary Statements - Prevention**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 - Do not spray on an open flame or other ignition source.

CUSTOM CLS WILL SHINE Page 1 of 8

- P251 Do not pierce or burn, even after use.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P280 Wear protective gloves, protective clothing, eye protection and face protection.
- P261 Avoid breathing mist, vapors or spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.

### **Precautionary Statements - Response**

- P308 + P313 IF exposed or concerned: Get medical attention.
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P333 + P313 If skin irritation or a rash occurs: Get medical attention.
- P363 Wash contaminated clothing before reuse.

# **Precautionary Statements - Storage**

- P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.
- P405 Store locked up.
- P403 Store in a well-ventilated place.

#### **Precautionary Statements - Disposal**

P501 - Dispose of contents and container in accordance with local, regional, national and international regulations.

#### **SECTION 3) COMPOSITION, INFORMATION ON INGREDIENTS** CAS **Chemical Name** % By Weight 0068476-86-8 Petroleum gases, liquefied, sweetened 3% - 7% 0008042-47-5 Mineral Oil 2% - 4% **D-LIMONENE** 0005989-27-5 1.0% - 2% DIETHYLENE GLYCOL MONOBUTYL ETHER 0000112-34-5 0.1% - 1.4% 0064741-65-7 **ODORLESS MINERAL SPIRITS** 0.1% - 1.0% 0068647-72-3 Terpenes and Terpenoids, sweet orange-oil 0.0% - 0.8% 0000110-91-8 **MORPHOLINE** 0.0% - 0.4%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality.

### **SECTION 4) FIRST-AID MEASURES**

#### Inhalation

If exposed/feel unwell/concerned: Call a POISON CENTER or doctor.

Eliminate all ignition sources if safe to do so.

Remove source of exposure or move person to fresh air and keep comfortable for breathing.

#### **Eye Contact**

Remove source of exposure or move person to fresh air. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 15-20 minutes. Take care not to rinse contaminated water into the unaffected eye or onto the face. If eye irritation persists: Get medical advice/attention.

### **Skin Contact**

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash with plenty of lukewarm, gently flowing water for a duration of 15-20 minutes. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse or discard.

IF exposed or concerned: Get medical advice/attention.

### Ingestion

Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery

CUSTOM CLS WILL SHINE Page 2 of 8

position.

### Most Important Symptoms/Effects, Acute and Delayed

No data available.

### **Indication of Immediate Medical Attention and Special Treatment Needed**

No data available.

# **SECTION 5) FIRE-FIGHTING MEASURES**

#### **Suitable Extinguishing Media**

Dry chemical, foam, carbon dioxide. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam. Sand or earth may be used for small fires only.

Do not direct a solid stream of water or foam into hot, burning pools. This may result in frothing and increased fire intensity.

### **Unsuitable Extinguishing Media**

No data available.

#### Specific Hazards in Case of Fire

Contents under pressure. Keep away from ignition sources and open flames. Exposure of containers to extreme heat and flames can cause them to rupture often with violent force. Product is highly flammable and forms explosive mixtures with air, oxygen, and all oxidizing agents. Vapors are heavier than air and may travel along surfaces to remote ignition sources and flash back.

During a fire, irritating and highly toxic gases may be generated during combustion or decomposition. High temperatures can cause sealed containers to rupture due to a build up of internal pressures. Cool with water.

Empty Containers retain product residue which may exhibit hazards of material; therefore do not pressurize, cut, glaze, weld or use for any other purposes.

Container could potentially burst or be punctured upon mechanical impact, releasing flammable vapors.

### **Fire-Fighting Procedures**

Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapors and to protect personnel. Water may be ineffective but can be used to cool containers exposed to heat or flame. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid.

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# **Special Protective Actions**

Wear positive pressure self-contained breathing apparatus (SCBA)

# **SECTION 6) ACCIDENTAL RELEASE MEASURES**

### **Emergency Procedure**

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Do not touch or walk through spilled material.

Isolate hazard area and keep unnecessary people away. Remove all possible sources of ignition in the surrounding area. Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

If spilled material is cleaned up using a regulated solvent, the resulting waste mixture may be regulated.

### **Recommended Equipment**

Wear liquid tight chemical protective clothing in combination with positive pressure self-contained breathing apparatus (SCBA).

#### **Personal Precautions**

Avoid breathing vapor. Avoid contact with skin, eye or clothing. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing.

### **Environmental Precautions**

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

### Methods and Materials for Containment and Cleaning up

Absorb liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

### **SECTION 7) HANDLING AND STORAGE**

#### **General**

Do not puncture or incinerate (burn) cans. Do not stick pins, nails, or any other sharp objects into opening on top of can. Do not spray in eyes. Do not take internally.

### **Ventilation Requirements**

Use in a well-ventilated place.

#### **Storage Room Requirements**

Store and use in a cool, dry, well-ventilated area. Do not store above 120°F. See product label for additional information.

# **SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Eye Protection**

Wear safety glasses with side shields. Eyewash stations and showers should be available in areas where this material is used and stored.

#### **Skin Protection**

Use solvent-resistant protective gloves for prolonged or repeated contact.

### **Respiratory Protection**

Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination of particles and vapor. In confined areas, use an approved air line respirator or hood. A self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.

### **Appropriate Engineering Controls**

Ventilation should be sufficient to prevent inhalation of any vapors.

Chemical Name	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA STEL (mg/m3)	OSHA Carcinogen	OSHA Skin designation	OSHA Tables (Z1, Z2, Z3)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)
DIETHYLENE GLYCOL MONOBUTYL ETHER								10(IFV)
Mineral Oil							[(L)]; [5 (I)];	(L)
MORPHOLINE	70	20			1	1		20
ODORLESS MINERAL SPIRITS	2000	500				1	[(L)]; [5 (I)];	(L)
Petroleum gases, liquefied, sweetened	2000	500				1		

Chemical Name	NIOSH STEL (ppm)	ACGIH STEL (mg/m3)	ACGIH STEL (ppm)	ACGIH Carcinogen	ACGIH TLV Basis	ACGIH Notations	NIOSH TWA (mg/m3)	NIOSH TWA (ppm)
DIETHYLENE GLYCOL MONOBUTYL ETHER					Hematologic,liv er & kidney eff			
Mineral Oil				[A2]; [A4];	URT irr	[A2]; [A4];		
MORPHOLINE	30			A4	Eye dam; URT irr	Skin; A4	70	20
ODORLESS MINERAL SPIRITS				[A2]; [A4];	URT irr	[A2]; [A4];		
Petroleum gases, liquefied, sweetened								

Chemical Name	NIOSH STEL (mg/m3)	OSHA STEL (ppm)	NIOSH Carcinogen
DIETHYLENE GLYCOL MONOBUTYL ETHER			

Mineral Oil		
MORPHOLINE	105	
ODORLESS MINERAL SPIRITS		
Petroleum gases, liquefied, sweetened		

<sup>(</sup>C) - Ceiling limit, (IFV) - Inhalable fraction and vapor, (L) - Exposure by all routes should be carefully controlled to levels as low as possible, A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans, A4 - Not Classifiable as a Human Carcinogen, BEI - Substances for which there is a Biological Exposure Index or Indices, dam - Damage, DSEN - Dermal sensitization, eff - Effects, irr - Irritation, repro - reproductive, URT - Upper respiratory tract

# **SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES**

### **Physical and Chemical Properties**

Density	7.86 lb/gal
Density VOC	0.66 lb/gal
% VOC	7.05%

Appearance White Odor Description Citrus

# **SECTION 10) STABILITY AND REACTIVITY**

# **Stability**

Stable under normal storage and handling conditions.

# **Conditions to Avoid**

Avoid heat, sparks, flame and contact with incompatible materials

Dropping containers may cause bursting.

#### **Incompatible Materials**

Avoid strong oxidizers, reducers, acids, and alkalis.

# **Hazardous Reactions/Polymerization**

Will not occur.

### **Hazardous Decomposition Products**

No data available.

# **SECTION 11) TOXICOLOGICAL INFORMATION**

### **Skin Corrosion/Irritation**

No data available.

### **Likely Route of Exposure**

Inhalation, ingestion, skin absorption.

# **Serious Eye Damage/Irritation**

No data available.

# Carcinogenicity

May cause cancer.

### **Germ Cell Mutagenicity**

May cause genetic defects.

### **Reproductive Toxicity**

No data available.

CUSTOM CLS WILL SHINE Page 5 of 8

# Respiratory/Skin Sensitization

May cause an allergic skin reaction

### **Specific Target Organ Toxicity - Single Exposure**

No data available.

# **Specific Target Organ Toxicity - Repeated Exposure**

No data available.

### **Aspiration Hazard**

No data available.

### **Acute Toxicity**

No data available.

#### **Potential Health Effects - Miscellaneous**

#### 0064741-65-7 ODORLESS MINERAL SPIRITS

Laboratory studies with rats have shown that petroleum distillates can cause kidney damage and kidney or liver tumors. These effects were not seen in similar studies with guinea pigs, dogs, or monkeys. Several studies evaluating petroleum workers have not shown a significant increase of kidney damage or an increase in kidney or liver tumors.

# **SECTION 12) ECOLOGICAL INFORMATION**

#### **Toxicity**

No data available.

# **Persistence and Degradability**

No data available.

### **Bio-Accumulative Potential**

No data available.

### **Mobility in Soil**

No data available.

### **Other Adverse Effects**

No data available.

# **SECTION 13) DISPOSAL CONSIDERATIONS**

# **Waste Disposal**

Under RCRA, it is the responsibility of the user of the product, to determine at the time of disposal whether the product meets RCRA criteria for hazardous waste. Waste management should be in full compliance with federal, state, and local laws.

Empty containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. Return drums to reclamation centers for proper cleaning and reuse.

# **SECTION 14) Transport Information**

	IATA Information	IMDG Information	U.S. DOT Information
UN number:	UN1950	UN1950	UN1950
Proper shipping name:	Aerosols, flammable	Aerosols	Aerosols
Hazard class:	2.1	2.1	2.1
Packaging group:	NA	NA	NA
Note / Special Provision:	(LTD QTY)	(LTD QTY)	(LTD QTY)

CUSTOM CLS WILL SHINE Page 6 of 8


### **SECTION 15) REGULATORY INFORMATION**

CAS	Chemical Name	% By Weight	Regulation List
0068476-86-8	6-86-8 Petroleum gases, liquefied, sweetened		SARA312, TSCA, OSHA
0008042-47-5	Mineral Oil	2% - 4%	SARA312, TSCA, ACGIH
0005989-27-5	D-LIMONENE	1.0% - 2%	SARA312, VOC, TSCA
0000112-34-5	DIETHYLENE GLYCOL MONOBUTYL ETHER	0.1% - 1.4%	SARA313, CERCLA, HAPS, SARA312, VOC, TSCA, ACGIH,
0064741-65-7	ODORLESS MINERAL SPIRITS	0.1% - 1.0%	SARA312, VOC,TSCA, ACGIH, OSHA
0068647-72-3	Terpenes and Terpenoids, sweet orange-oil	0.0% - 0.8%	SARA312, TSCA
0000110-91-8	MORPHOLINE	0.0% - 0.4%	SARA312, VOC,TSCA, ACGIH, OSHA
0000056-81-5	GLYCEROL	0.0% - 0.3%	SARA312, TSCA
0000078-70-6	1,6-Octadien-3-ol, 3,7-dimethyl-	Trace	SARA312, TSCA
0005392-40-5	2,6-Octadienal, 3,7-dimethyl-	Trace	SARA312, TSCA, ACGIH
0000106-24-1	2,6-Octadien-1-ol, 3,7 dimethyl-, (2E)	Trace	SARA312, TSCA
0000059-02-9	2H-1-Benzopyran-6-ol, 3,4-dihydro-2, 5,7,8-tetramethyl-2-[(4R,8R)-4,8,12-trimethyltridecyl]-, (2R)-	Trace	SARA312, TSCA
0000111-76-2	ETHYLENE GLYCOL MONOBUTYL ETHER	Trace	SARA313, CERCLA, SARA312, VOC, TSCA, ACGIH, OSHA,
0008008-57-9	Oils, orange, sweet	Trace	SARA312, TSCA
0000109-86-4	2-METHOXYETHANOL	Trace	SARA313, CERCLA, HAPS, SARA312, VOC, TSCA, ACGIH, California Proposition 65 - Developmental - Toxicity Male, OSHA
0000107-15-3	ETHYLENEDIAME	Trace	CERCLA, SARA312, VOC, TSCA

# **SECTION 16) OTHER INFORMATION**

### **Glossary**

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG-Canadian Transportation of Dangerous Goods; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center (US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)-HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL- Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limit; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self-Contained Breathing Apparatus; STEL- Short Term Exposure Limit; TCEQ- Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA- Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.



CUSTOM CLS WILL SHINE Page 7 of 8

### **DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.

CUSTOM CLS WILL SHINE Page 8 of 8